	Application No.	Applicant(s)
Notice of Allowability	10/789,748	MACHALA, WILLIAM
	Examiner	Art Unit
	Joanne Silbermann	3611
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. 1. This communication is responsive to amendment filed 6/26/07.		
<u> </u>		
2. The allowed claim(s) is/are 1-4 and 6-14.		
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the 		
International Bureau (PCT Rule 17.2(a)). * Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
 5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
 DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 		
Attachment(s)	5 	
1. Notice of References Cited (PTO-892)	5. Notice of Informal F	* *
 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO/SB/08), 	6. ⊠ Interview Summary Paper No./Mail Da 7. ⊠ Examiner's Amend	te <u>9/19/07</u> .
Paper No./Mail Date 3/9/07 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. ☐ Examiner's Statem 9. ☐ Other	ent of Reasons for Allowance

Art Unit: 3611

DETAILED ACTION

Information Disclosure Statement

1. The information disclosure statement (IDS) submitted on March 9, 2007 and June 26, 2007 was filed after the mailing date of the rejection on December 01, 2006. The submission is in compliance with the provisions of 37 CFR 1.97. Accordingly, the information disclosure statement is being considered by the examiner.

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Tony V. Pezzano on 19 September 2007.

The application has been amended as follows:

In claim 1 lines 5-6, both occurrences of "standard-sized" have been replaced by "piece of".

In claim 1 line 17 "configured to be" has been deleted.

In claim 6 line 2 "standard-sized" has been replaced by "piece of".

In claim 7 line 12 "configured to be" has been deleted.

In claim 12 line 2 "standard-sized" has been deleted.

In claim 13 lines 6 and 17 "configured to be" has been deleted from each.

Art Unit: 3611

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Joanne Silbermann whose telephone number is 571-272-6653. The examiner can normally be reached on M-F 5:30 - 2:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Lesley Morris can be reached on 571-272-6651. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Janne Silbermann Rrimary Examiner Art Unit 3611

js 19 September 2007